8

	Application No.	Applicant(s)
ALC: FAIL LIVE	10/569,854	NAKAHARA ET AL.
Notice of Allowability	Examiner	Art Unit
	Brij B. Shrivastav	2859
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to amendment dated De	ecember 3, 2007.	
2. X The allowed claim(s) is/are <u>1-9</u> .		
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		,
2. ☐ Certified copies of the priority documents have		
3. Copies of the certified copies of the priority do		
International Bureau (PCT Rule 17.2(a)).	cuments have been received in this	mational stage application from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) 🔲 including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-	948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 		
Attachment(s)	. <u>_</u>	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>5/17/07</u> 	7. Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9. Other	
		Brij B Shrivastav Primary Examiner Art Unit: 2859
		•

10/569,854 Art Unit: 2859

1. Applicants' amendment dated December 3, 3007 has been received and entered. Claim 10 has been canceled. The pending claims are 1-9.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Claims 1-9 are allowed, as the prior art of record does not teach or suggest an NMR probe adapted to be used for high temperature NMR measurement, including a sample tube in contact with the inside the two transfer pipes and a sample inside the sample tube, which is being heated by heat that is transferred from the two heating means via the heat transfer pipes

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B. Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Dean Reichard can be reached at 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

10/569,854 Art Unit: 2859

1. Applicants' amendment dated December 3, 3007 has been received and entered. Claim 10 has been canceled. The pending claims are 1-9.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Claims 1-9 are allowed, as the prior art of record does not teach or suggest an NMR probe adapted to be used for high temperature NMR measurement, including a sample tube in contact with the inside the two transfer pipes and a sample inside the sample tube, which is being heated by heat that is transferred from the two heating means via the heat transfer pipes

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B. Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Dean Reichard can be reached at 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 2859

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 57/1-272-1000.

December / 2007

Brij B Shrivastav Primary Examiner

Art Unit 2859
